	Company Name	
=		
window modes Customer Service:	Address	
914-665-4545	City/State/Zip	

59 Kensico Drive Mount Kisco, NY 10549

Send Forms to: cs@windowmodes.com

Online ordering available at dealers.quoterite.com

Company Name	
Address	
City/State/Zip	
Phone #	Bill To
Email	0
Sidemark	

	•	
Address		
City/State/Zip		S
Phone #		Ship To
P.O. Number		

Contact

Page	_ of
This i	s for a
(sele	ct one):

Signature Collection - Motorization

QUOTE

ORDER

#	arers.quoterne.com		Widt		Leng			Mount Type	TT (see order key)	Motor Vendor	Motor Type	BR (see order key)	Roll Direction	Control Side
Line	Location	Qty	enter fraction w applical	vhere	enter fraction w applicat	here	Fabric Name and Color	see order key	Top Treatment & Color	S = Somfy R = Rollease C = Coulisse	Motor Type	Bottom Rail	S = Standard R = Reverse	R = Right L = Left
1.				/		/								
2.				/		/								
3.				/		/								
4.				/		/								
5.				/		/								
6.				/		/								
7.				/		/				_				

Order Placed On

Yes, I want an adjustable bracket available for motorized shades

Yes, I have made motor accessory selection on page 2 of 2

- Custom lengths for chain (Eve Motion Motorization only) are available in 1" increments. Indicate in Special Instructions
- Two-On-One cassette options should be indicated in special instructions
- Curved Cassette and Designer Fascia are available in Matte colors only I approve the above order form to be converted into an invoiceable order. I have indicated accessories on additional pages as needed.

Signature

SIGNATURE COLLECTION - MOTORIZATION - ORDER FORM KEY

Mount Type

ΙB = Inside Mount JM = Jamb Mount OB = Outside Mount CM = Cloth Mount

TT Ton Treatment

TT. Top Treat	ment	TT. To	p Treatment - Color
SB*(N/C)	= Small Bracket (add "n/c" for no covers)	WM*	= White Metal
MB*(N/C)	= Medium Bracket (add "n/c" for no covers)	SS*	= Stainless Steel
CCI	= Curved Cassette with Insert Strip	CH*	= Chrome
CC	= Curved Cassette NO Insert	NA*	= Natural Aluminum
DF	= Designer Fascia	OB*	= Old Brass
LDF	= Large Designer Fascia	BN*	= Black Nickel
CV25	= Custom Inside Mount Valance 2.5"	WH	= White Matte
CV35	= Custom Inside Mount Valance 3.5"	OW	= Off White Matte
		GR	= Grey Matte
		BZ	= Bronze Matte

Colors with a * are for SB and MB options only

BR. Bottom Rail

= Heat Sealed Open Ends HSO HSS = Heat Sealed Ends SW = Smooth White SG = Smooth Grey = Smooth Off-White SO SBR = Smooth Bronze SBL = Smooth Black CCH = Contempo Chrome CNA = Contempo Natural Aluminum

BCC. Bead Chain Color

WP = White Plastic BP = Black Plastic = Medieval Brass MB NPS = Nickel Plated Steel SS = Stainless Steel

Motor Type - Somfy Motors

WireFree Motors

WF1 = WireFree ST 28 External Battery

WF2 = WireFree ST 28 Li-Ion WF3 = WireFree Ultra 30 Li-Ion WF4 = WireFree ST 40 Li-Ion

Low Voltage RTS Motors

RTSDC1 = Low Voltage RTS ST 30 24v RTSDC2 = Low Voltage RTS ST ULTRA 50

High Voltage RTS Motors

RTSAC1	= ST 404S2 w/o fast connector
RTSAC2	= ST 404S2 w/ fast connector
RTSAC3	= ST 406A2 w/ fast connector
RTSAC4	= ST 409R2 w/ fast connector
RTSAC5	= ST ULTRA 506A2 Star Head
DTCAC6	- ST 506S2 Star Hood

RTSAC6 = ST 506S2 Star Head RTSAC7 = ST 510S2 Star Head

Wired Technology Motors

WT1	= ST 404S2 w/o fast connector
WT2	= ST 404S2 w/ fast connector
WT3	= ST 406A2 w/ fast connector
WT4	= ST 409R2 w/ fast connector
WT5	= ST ULTRA 506A2 Star Head
WT6	= ST 506S2 Star Head

WT7 = ST 510S2 Star Head WT8 = ST 506S2 RH Star Head

WT9 = ST 510S2 RH

Motor Type - Coulisse Motors

CM1 = CM03-e with Pull Tassel

Tube Override (indicate in special instructions)

50mm = 50mm tube for chain, dual tassel lift and motorization

65mm = 65mm tube for motorization only 80mm = 80mm tube for motorization only

Signature Roller Shades - Somfy Motorization Accessories

Qty	RTS Controls	Qty	RTS Controls
	Situo 1 Pure II		DecoFlex WF 1 Ch
	Situo 5 Pure II		DecoFlex WF 2 Ch Kit - White
	Telis 16 RTS Pure		DecoFlex WF 3 Ch Kit - White
	Smoove 1 RTS Pure		DecoFlex WF 4 Ch Kit - White
	Smoove 4 RTS Pure		DecoFlex WF 5 Ch - White
	TaHoma Interface		DecoFlex Table Top Accessory - White
	Zigbee Ethernet Adapter		DecoFlex WF Surface 5ch White
	RTS Repeater (One Per Project)		DecoFlex WF 3 Button - White
	Universal RTS Receiver		Smoove Double Frame, White
	RTS Dry Contact Interface 1 Ch		Smoove Frame, White
	Universal RTS Interface II		DB9 to RJ45 Adapter for RS232

	orginataro rionor ornados comir, mo
Qty	RTS WireFree Accessories
	V2 Charger Somfy
	WireFree Solar Panel Kit
	Extension Charging cable 94.5"
	KIT - Li-Ion Charger PLUS 94.5" charging cable
	Extension Cable for "Y" Harness- 48" (for ST28RTS_ExBat Motors)
	Extension Cable for "Y" Harness -10" (for ST28RTS_ExBat Motors)
	Extension Cable for "Y" Harness-96" (for ST28RTS_ExBat Motors)
	12V DC Plug-In Power Supply (for ST28RTS_ExBat Motors)
	Rechargeable Li-Ion Battery Pack (for ST28RTS_ExBat Motors)

All WireFree Motors come with an 8" extension charging cable (V2 head)

Indicate Smoove Frames	Engravi	ngs in S	pecial	Instructions

Qty	Power Supplies for Low Voltage
	24V DC 1.67A Wall Mount Power Supply
	Power Distribution Enclosure Kit - 10 Motor
	Power Distribution Enclosure Kit - 5 Motor
	Power Distribution Enclosure Kit - 15 Motor
	Power Distribution Enclosure Kit - 20 Motor

Qty	Motor Head Covers for Low Voltage Motors	
	Sonesse 30 24V Motor Head Cover, Grey	
	Sonesse 30 24V Motor Head Cover, Black	

Qty	Replacement Part for 50 series Low Voltage Motor
	Sonesse ULTRA 50 DC RTS Cable Power Pigtail ONE included per motor. This is for additional or replacement part

Qty	Fast Connector Cables for RTS Motors	
	1.6FT LT50, 3C, FC, Motor Pigtail (50 series only) Required for all Fast Connector Cables with Plug	
	10.4Ft 3C Cable w/Plug (40 or 50 series)	
	18Ft 3C Cable w/Plug (40 or 50 series)	
	1.4Ft 3C Cable w/Plug (40 or 50 series)	
	4.4Ft 3C Cable w/Plug (40 or 50 series)	
	8.4Ft 3C Cable w/Plug (40 or 50 series)	

Qty	Sonesse 50 & LT50/LT60 RTS/RS485 SJTW 3C Cable
	10ft RTS Cable, SJTW, No Plug, 50 Series
	1.5ft RTS Cable, SJTW, With Plug, 50 Series
	6ft RTS Cable, SJTW, With Plug, 50 Series
	10ft RTS Cable, SJTW, With Plug, 50 Series
	18ft RTS Cable, SJTW, With Plug, 50 Series

Qty	Fast Connector Cables for Wired Technology 4C
	1.6FT 50 & LT50, 4C, FC, Motor Pigtail Required for all Fast Connector Cables with Plug
	4.4Ft 4C Cable w/Plug (40 or 50 series)
	8.4Ft 4C Cable w/Plug (40 or 50 series)
	16.4Ft 4C Cable w/Plug (40 or 50 series)
	22.4Ft 4C Cable w/Plug (40 or 50 series)

Qty	Additional RTS Accessories
	Tool for Wago AC Quick Connector
	Gray Wago AC Quick Connector (4 Pins)



Page ___ of ___

Signature Roller Shades - Motion & Universal Motorization Accessories

Page ___ of ___

Qty	Coulisse Motion Motor Accessories	
	Charging Cable (indicate additional; 1 included)	
	Charging Block	

Qty	Coulisse Controller Options
	5 Channel Remote - Black
	15 - Channel Remote - Black
	Motion Hub
included	Pull Tassel for On-Shade Easy Operation and Programming (will automatically match top treatment color selection unless in special instructions)

Qty	Window Modes Universal Control Options
	5 Channel Universal Remote - White
	Universal Hub for Smart Home Integration
	Universal Pedestal - Single
	Universal Pedestal - Dual
	Universal Radio Receiver 120v

